

PW866

Circular Chart Recorder



FEATURES

- 0-300 PSI, 7-Day
- Splash proof case with IP66 rating
- Corrosion resistant case
- Single AA battery operation

ABOUT

These 8" (203mm) easy-to-ready pressure charts show 3x as much data as our 4" (101mm) and they are contained in a splash proof enclosure.

Create a permanent visual record of your pressure data with the greatest detail.





For more information, please refer to

T: +31 (0)174 287 160
E: info@vrsupplies.com
W: www.vrsupplies.com



PW866

Circular Chart Recorder

Specifications

- Ambient Operating RH Conditions: 0-95% RH non-condensing
- Ambient Operating Temperature Conditions: -22 to 122F (-30 to 50C)
- Battery Life (Avg): 1 Year
- Calibration Options: N100, N300
- Channels: CH1: Pressure
- Chart Rotation Speed: 24 Hour
- **Dimensions:** 3.6 x 10.3 x 9.5in
- Enclosure: Plastic NEMA 4X Case with Window in Door.
- Fitting: 1/4" NPT Thread, 5/8" Hex
- IP Rating: 66
- Included Accessories: One AA Battery, Red Pen and Quick Start Guide.
 - *Charts sold separately.
- Mounting Options: Stem or Wall Mount (With Keyhole)
- Power Source: Battery; One AA Battery (User Replaceable)
- Pressure Accuracy: 2% of Full Scale
- Pressure Range: 0 to 200PSI
- Response Time: 1 to 5 Seconds
- Unit Weight: 2.9 lbs
- Units/Pkg: 1
- Warranty: 12-Month Limited



PW866

.

Circular Chart Recorder

Accessories



A791 – Pressure Kit Pressure Fitting Accessory Kit



A792 – Pressure Pigtail Steam Pressure Pigtail



A793 – Hydrant Kit Fire Hydrant Adapter Kit



R006 - AA Battery



R022 – Pressure Filter Kit Filte Kit includes Snubber