

Circular Chart Recorder



FEATURES

- Optional 7-Day or 24-Hour recording
- C/F Switchable

ABOUT

Small enough to fit in your hand and ideal when space is a concern, Dickson 3-inch (76mm) temperature chart recorders offer a unique monitoring alternative.

Great for tight spaces and tight budgets!



For more information, please refer to

T: +31 (0)174 287 160

E: info@vrsupplies.com

W: www.vrsupplies.com

Circular Chart Recorder

Specifications

- **Ambient Operating RH Conditions:** 0-95% RH non-condensing
- **Ambient Operating Temperature Conditions:** -22 to 122F (-30 to 50C)
- **Battery Life (Avg):** 2 Years
- **Calibration Options:** N100, N300, N400
- **Channels:** CH1: Temperature
- **Chart Rotation Speed:** 24 Hour or 7 Day
- **Dimensions:** 2.2 x 3.7 x 3.7in
- **Enclosure:** Black ABS and Polycarbonate
- **IP Rating:** 20
- **Included Accessories:** One AA Battery, Red Pen and Quick Start Guide.
*Charts sold separately.
- **Mounting Options:** Free Standing, Wall Mounted or Suspended
- **Power Source:** Battery; One AA Battery (User Replaceable)
- **Response Time:** 11 Minutes to 63% of Full Scale (in air moving 5' per second)
- **Temperature Accuracy:** +/-2F from -14 to 32F (+/-1C from -25 to 0C)
- **Temperature Range:** -14 to 32F (-25 to 0C)
- **Temperature Sensor:** Precise spiral wound bi-metallic strip transducer
- **Unit Weight:** 1 lb
- **Units/Pkg:** 1
- **Warranty:** 12-Month Limited

Accessories



A715 – Wall Mount Case
Small Locking Wall Mount Case



R006 – AA Battery